	SAFETY DATA SHEET	Page : 1 / 16
		Revision nr : 2.0
	Straight Run Gasoil	Issue date : 24/06/2021
		Supersedes : 30/01/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance (UVCB)
Trade name : Straight Run Gasoil
Chemical name : Distillates (petroleum), full-range straight-run middle
EC-No. : 272-341-5
CAS-No. : 68814-87-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use, Professional use, Consumer use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Mercuria Energy Trading B.V. supplying for and behalf of Mercuria Energy Trading S.A.
Euclideslaan 131
3584 BR Utrecht - Netherlands
T +31 30 608 61 30 - F +31 30 254 11 26
Technical support: +1 720 214 6215
REACH@Mercuria.com

1.4. Emergency telephone number

Emergency number : +32 3 575 11 30 (SGS 24/7 Emergency Hotline)

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, 24/7, healthcare professionals only)


SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226
Acute Tox. 4 (Inhalation) H332
STOT RE 2 H373
Asp. Tox. 1 H304
Aquatic Chronic 2 H411

Full text of H-statements: see section 16

	SAFETY DATA SHEET	Page : 2 / 16
	Straight Run Gasoil	Revision nr : 2.0
		Issue date : 24/06/2021
		Supersedes : 30/01/2015

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word :

Danger

Hazard statements (CLP) :

H226 - Flammable liquid and vapour.
H304 - May be fatal if swallowed and enters airways.
H332 - Harmful if inhaled.
H373 - May cause damage to organs through prolonged or repeated exposure.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P201 - Obtain special instructions before use.
P210 - Keep away from heat, open flames, sparks. No smoking.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P391 - Collect spillage.
P403+P235 - Store in a well-ventilated place. Keep cool.

Extra phrases :

EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Other hazards :

Vapours can form explosive mixtures with air.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII


This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : UVCB
Substance name : Straight Run Gasoil
CAS-No. : 68814-87-9
EC-No. : 272-341-5

	SAFETY DATA SHEET	Page : 3 / 16
		Revision nr : 2.0
	Straight Run Gasoil	Issue date : 24/06/2021
		Supersedes : 30/01/2015

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), full-range straight-run middle	(CAS-No.) 68814-87-9 (EC-No.) 272-341-5 (EC Index) -	100	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice	: First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance. Treat symptomatically.
Inhalation	: Remove casualty to fresh air and keep warm and at rest. In case of doubt or persistent symptoms, consult always a physician. Give oxygen or artificial respiration if necessary. Get medical advice/attention.
Skin contact	: Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician. In the event of a high pressure injection injury, worker should obtain immediate medical assistance. Contact with hot product will cause thermal burns. Immerse in cool water/wrap in wet bandages. Get medical advice/attention.
Eyes contact	: Rinse immediately carefully and thoroughly with eye-bath or water. In case of doubt or persistent symptoms, consult always a physician.
Ingestion	: Rinse mouth thoroughly with water. Do NOT induce vomiting. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: Harmful if inhaled. The following symptoms may occur: Irritation.
Skin contact	: The following symptoms may occur: erythema (redness). No adverse effects are expected. Repeated exposure may cause skin dryness or cracking.
Eyes contact	: No adverse effects are expected. The following symptoms may occur: Irritation.
Ingestion	: May be fatal if swallowed and enters airways. The following symptoms may occur: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Chronic symptoms	: May cause damage to organs (liver, bone marrow, spleen) through prolonged or repeated exposure.


4.3. Indication of any immediate medical attention and special treatment needed

Not applicable.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Alcohol resistant foam. dry extinguishing powder. Carbon dioxide. Inert gas. Sand. Earth.
Unsuitable extinguishing media	: Strong water jet.

	SAFETY DATA SHEET	Page : 4 / 16
	Straight Run Gasoil	Revision nr : 2.0
		Issue date : 24/06/2021
		Supersedes : 30/01/2015

5.2. Special hazards arising from the substance or mixture

- Specific hazards : Heating will cause a rise in pressure with a risk of bursting. Flammable liquid and vapour.
- Explosion hazard : Can form explosive mixtures with air. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours.
- Hazardous decomposition products in case of fire : Carbon oxides (CO, CO₂). Toxic fumes. Aldehydes. Polycyclic-aromatic hydrocarbons. ketones. soot.

5.3. Advice for firefighters

- Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.
- Other information : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- For non-emergency personnel : Evacuate personnel to a safe area. Stay upwind/keep distance from source. Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ensure equipment is adequately earthed. Use explosion-proof equipment. Use only non-sparking tools. as appropriate : Product may release Hydrogen Sulphide: A specific assessment of inhalation risks from the presence of hydrogen sulphide in tank headspaces, confined spaces, product residue, tank waste and waste water, and unintentional releases should be made to help determine controls appropriate to local circumstances.

6.1.2. For emergency responders

- For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions


Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Cover the spilled liquid product with foam to slow down evaporation. Stop leak if safe to do so. Clean-up methods - small spillage: Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite or powdered limestone, Collect in closed and suitable containers for disposal. Clean-up methods - large spillage: Cover the spilled liquid product with foam to slow down evaporation, Dam up, Recover large spills by pumping (use an explosion proof or hand pump), Keep in suitable, closed containers for disposal. Site should have a spill plan to ensure that adequate safeguards are in place to minimize the impact of episodic releases. Dispose of waste product or used containers according to local regulations.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

	SAFETY DATA SHEET	Page : 5 / 16
		Revision nr : 2.0
	Straight Run Gasoil	Issue date : 24/06/2021
		Supersedes : 30/01/2015

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with combustibles... See also section 10. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Do not allow to enter into surface water or drains. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ensure equipment is adequately earthed. Use explosion-proof equipment. Use only non-sparking tools. As appropriate : Product may release Hydrogen Sulphide: A specific assessment of inhalation risks from the presence of hydrogen sulphide in tank headspaces, confined spaces, product residue, tank waste and waste water, and unintentional releases should be made to help determine controls appropriate to local circumstances.
- Hygiene measures : Keep good industrial hygiene. Remove contaminated clothing and shoes. When using do not eat, drink or smoke. Separate working clothes from town clothes. Wash contaminated clothing before reuse. Wash hands immediately after handling the product. Keep away from food, drink and animal feedingstuffs.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Storage of flammable liquids. Store in a dry, cool and well-ventilated place. Refer to the detailed list of incompatible materials in section 10 Stability/Reactivity. Bund storage facilities to prevent soil and water pollution in the event of spillage. As appropriate : Product may release Hydrogen Sulphide: A specific assessment of inhalation risks from the presence of hydrogen sulphide in tank headspaces, confined spaces, product residue, tank waste and waste water, and unintentional releases should be made to help determine controls appropriate to local circumstances.
- Incompatible substances or mixtures : Strong oxidizing agents.
- Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep out of direct sunlight.
- Packaging materials : Keep only in the original container. Suitable material: Stainless steel. Carbon steel. Unsuitable material: Synthetic material.

7.3. Specific end use(s)

No data available.


SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

- Engineering measure(s) : Use only outdoors or in a well-ventilated area. Organisational measures to prevent /limit releases, dispersion and exposure. See Section 7 for information on safe handling. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Take precautionary measures against static discharges. Ensure equipment is adequately earthed. Store locked up. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.


	SAFETY DATA SHEET	Page : 6 / 16
		Revision nr : 2.0
	Straight Run Gasoil	Issue date : 24/06/2021
		Supersedes : 30/01/2015

Personal protective equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hand protection	: Wear chemically resistant gloves (tested to EN374) . The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
Eye protection	: Use suitable eye protection (EN 166): goggles
Body protection	: Wear suitable coveralls to prevent exposure to the skin. Use chemically protective clothing. Antistatic clothing. In case of large spillages: Wear full chemical protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: ABEK/P (EN 141). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: liquid.
Colour	: clear. Yellow. brown.
Odour	: petroleum hydrocarbon odour.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting / freezing point	: No data available
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: ≥ 46 °C (closed cup)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable,liquid
Vapour pressure	: 4 hPa (at 40 °C)
Vapour density	: No data available
Relative density	: No data available
Density	: 0,83 – 0,86 g/cm ³ (at 15 °C)
Solubility	: No additional information available. Water: No data available
Partition coefficient n-octanol/water	: No data available
Kinematic viscosity	: No data available
Dynamic viscosity	: No data available
Explosive properties	: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.

 MERCURIA <small>MERCURIA ENERGY TRADING BV</small>	SAFETY DATA SHEET	Page : 7 / 16
		Revision nr : 2.0
	Straight Run Gasoil	Issue date : 24/06/2021
		Supersedes : 30/01/2015

Oxidising properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
Explosive limits	: No data available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour. Reference to other sections 10.4 & 10.5.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

Vapours may form explosive mixture with air. No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. See Section 7 for information on safe handling.

10.5. Incompatible materials

oxidising substances. See Section 7 for information on safe handling.

10.6. Hazardous decomposition products


Burning produces noxious and toxic fumes. Reference to other sections 5.2.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Harmful if inhaled.

Distillates (petroleum), full-range straight-run middle (68814-87-9)	
LD50/oral/rat	5000 mg/kg
LD50/dermal/rabbit	> 2000 mg/kg
LC50/inhalation/4h/rat	> 2,53 mg/l/4h

 MERCURIA <small>MERCURIA ENERGY TRADING BV</small>	SAFETY DATA SHEET	Page : 8 / 16
		Revision nr : 2.0
	Straight Run Gasoil	Issue date : 24/06/2021
		Supersedes : 30/01/2015

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: No data available
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: No data available
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.

Straight Run Gasoil (68814-87-9)	
Kinematic viscosity	No data available

Other information : Symptoms related to the physical, chemical and toxicological characteristics. Reference to other sections 4.2.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : Not applicable

11.2.2 Other information

Other information : Symptoms related to the physical, chemical and toxicological characteristics, Reference to other sections 4.2

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Not classified


Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Straight Run Gasoil (68814-87-9)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

Straight Run Gasoil (68814-87-9)	
Partition coefficient n-octanol/water	No data available

 MERCURIA <small>MERCURIA ENERGY TRADING BV</small>	SAFETY DATA SHEET	Page : 9 / 16
		Revision nr : 2.0
	Straight Run Gasoil	Issue date : 24/06/2021
		Supersedes : 30/01/2015

12.4. Mobility in soil

Straight Run Gasoil (68814-87-9)	
Ecology - soil	No data available. Substance is complex UVCB.

12.5. Results of PBT and vPvB assessment

Straight Run Gasoil (68814-87-9)	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

12.7. Other adverse effects

Additional information : No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Handle with care. Do not allow to enter into surface water or drains. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations.


Additional information : Never use pressure to empty container. Do not pierce or burn, even after use. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.






European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : This material and its container must be disposed of as hazardous waste. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1202	1202	1202	1202	1202
14.2. UN proper shipping name				
GAS OIL / DIESEL FUEL / HEATING OIL, LIGHT	GAS OIL	Gas oil	GAS OIL	GAS OIL
Transport document description				
UN 1202 GAS OIL / DIESEL FUEL / HEATING OIL, LIGHT, 3, III, (D/E), ENVIRONMENTALLY	UN 1202 GAS OIL, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1202 Gas oil, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1202 GAS OIL, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1202 GAS OIL, 3, III, ENVIRONMENTALLY HAZARDOUS

 MERCURIA <small>MERCURIA ENERGY TRADING BV</small>	SAFETY DATA SHEET	Page : 10 / 16
		Revision nr : 2.0
	Straight Run Gasoil	Issue date : 24/06/2021
		Supersedes : 30/01/2015


ADR	IMDG	IATA	ADN	RID
HAZARDOUS				
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
ADN : N2				

14.6. Special precautions for user

Special precautions for user : No data available

- Overland transport


Classification code (ADR) : F1
 Special provisions : 640K, 664
 Limited quantities (ADR) : 5I
 Excepted quantities (ADR) : E1
 Packing instructions (ADR) : P001, IBC03, LP01, R001
 Mixed packing provisions (ADR) : MP19
 Portable tank and bulk container instructions (ADR) : T2
 Portable tank and bulk container special provisions (ADR) : TP1
 Tank code (ADR) : LGBF
 Vehicle for tank carriage : FL
 Transport category (ADR) : 3
 Special provisions for carriage - Packages (ADR) : V12
 Special provisions for carriage - Operation (ADR) : S2
 Hazard identification number (Kemler No.) : 30
 Orange plates :



Tunnel restriction code : D/E
 EAC code : 3Y

- Transport by sea

Special provisions (IMDG) : 363
 Limited quantities (IMDG) : 5 L

 MERCURIA <small>MERCURIA ENERGY TRADING BV</small>	SAFETY DATA SHEET	Page : 11 / 16
	Straight Run Gasoil	Revision nr : 2.0
		Issue date : 24/06/2021
		Supersedes : 30/01/2015

Excepted quantities (IMDG) : E1
 Packing instructions (IMDG) : P001, LP01
 IBC packing instructions (IMDG) : IBC03
 Tank instructions (IMDG) : T2
 Tank special provisions (IMDG) : TP1
 EmS-No. (Fire) : F-E
 EmS-No. (Spillage) : S-E
 Stowage category (IMDG) : A
 Properties and observations (IMDG) : Immiscible with water.

- Air transport


PCA Excepted quantities (IATA) : E1
 PCA Limited quantities (IATA) : Y344
 PCA limited quantity max net quantity (IATA) : 10L
 PCA packing instructions (IATA) : 355
 PCA max net quantity (IATA) : 60L
 CAO packing instructions (IATA) : 366
 CAO max net quantity (IATA) : 220L
 Special provisions (IATA) : A3
 ERG code (IATA) : 3L

- Inland waterway transport

Classification code (ADN) : F1
 Special provisions (ADN) : 640K
 Limited quantities (ADN) : 5 L
 Excepted quantities (ADN) : E1
 Equipment required (ADN) : PP, EX, A
 Ventilation (ADN) : VE01
 Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : F1
 Special provisions (RID) : 640K
 Limited quantities (RID) : 5L
 Excepted quantities (RID) : E1
 Packing instructions (RID) : P001, IBC03, LP01, R001
 Mixed packing provisions (RID) : MP19
 Portable tank and bulk container instructions (RID) : T2
 Portable tank and bulk container special provisions (RID) : TP1
 Tank codes for RID tanks (RID) : LGBF
 Transport category (RID) : 3
 Special provisions for carriage – Packages (RID) : W12
 Colis express (express parcels) (RID) : CE4
 Hazard identification number (RID) : 30

 MERCURIA <small>MERCURIA ENERGY TRADING BV</small>	SAFETY DATA SHEET	Page : 12 / 16
		Revision nr : 2.0
	Straight Run Gasoil	Issue date : 24/06/2021
		Supersedes : 30/01/2015

14.7. Maritime transport in bulk according to IMO instruments

Code: IBC : No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Straight Run Gasoil
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Straight Run Gasoil
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Straight Run Gasoil
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	Straight Run Gasoil ; Distillates (petroleum), full-range straight-run middle


Straight Run Gasoil is not on the REACH Candidate List

Straight Run Gasoil is not on the REACH Annex XIV List

15.1.2. National regulations

France

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
4734.text	Produits pétroliers spécifiques et carburants de substitution : essences et naphtas ; kérosènes (carburants d'aviation compris) ; gazoles (gazole diesel, gazole de chauffage domestique et mélanges de gazoles compris) ; fioul lourd ; carburants de substitution pour véhicules, utilisés aux mêmes fins et aux mêmes usages et présentant des propriétés similaires en matière d'inflammabilité et de danger pour l'environnement. La quantité totale susceptible d'être présente dans les installations y compris dans les cavités souterraines étant :		
4734.1a	1. Pour les cavités souterraines et les stockages enterrés : a) Supérieure ou égale à 2 500 t Quantité seuil bas au sens de l'article R. 511-10 : 2 500 t. Quantité seuil haut au sens de l'article R. 511-10 : 25 000 t.	A	
4734.1b	1. Pour les cavités souterraines et les stockages enterrés : b) Supérieure ou égale à 1 000 t mais inférieure à 2 500 t Quantité seuil bas au sens de l'article R. 511-10 : 2 500 t. Quantité seuil haut au sens de l'article R. 511-10 : 25 000 t.	E	2
4734.1c	1. Pour les cavités souterraines et les stockages enterrés : c) Supérieure ou égale à 50 t d'essence ou 250 t au total, mais inférieure à 1 000 t au total Quantité seuil bas au sens de l'article R. 511-10 : 2 500 t. Quantité seuil haut au sens de l'article R. 511-10 : 25 000 t.	DC	2

 MERCURIA <small>MERCURIA ENERGY TRADING BV</small>	SAFETY DATA SHEET	Page : 13 / 16
		Revision nr : 2.0
	Straight Run Gasoil	Issue date : 24/06/2021
		Supersedes : 30/01/2015

4734.2a	2. Pour les autres stockages : a) Supérieure ou égale à 1 000 t Quantité seuil bas au sens de l'article R. 511-10 : 2 500 t. Quantité seuil haut au sens de l'article R. 511-10 : 25 000 t.	A	2
4734.2b	2. Pour les autres stockages : b) Supérieure ou égale à 100 t d'essence ou 500 t au total, mais inférieure à 1 000 t au total Quantité seuil bas au sens de l'article R. 511-10 : 2 500 t. Quantité seuil haut au sens de l'article R. 511-10 : 25 000 t.	E	2
4734.2c	2. Pour les autres stockages : c) Supérieure ou égale à 50 t au total, mais inférieure à 100 t d'essence et inférieure à 500 t au total Quantité seuil bas au sens de l'article R. 511-10 : 2 500 t. Quantité seuil haut au sens de l'article R. 511-10 : 25 000 t.	DC	2

Germany

Regulatory reference	: WGK 3, Highly hazardous to water
German storage class (LGK)	: LGK 3 - Flammable liquids
Hazardous Incident Ordinance (12. BlmSchV)	: Listed in the 12. BlmSchV (Annex I) under: 2.3.3 Quantity threshold for operational area under § 1 para. 1 - Sentence 1: 2500000 kg - Sentence 2: 25000000 kg

Netherlands


Waterbezwaarlijkheid	: A (2) - Vergiftig voor in water levende organismen kan in het aquatische milieu op lange termijn schadelijke effecten veroorzaken
Saneringsinspanningen	: A - In principe niet lozen; zo ja, dan toepassen van beste bestaande technieken
SZW-lijst van kankerverwekkende stoffen	: Straight Run Gasoil is listed
SZW-lijst van mutagene stoffen	: Straight Run Gasoil is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed

Denmark

Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out

 MERCURIA <small>MERCURIA ENERGY TRADING BV</small>	SAFETY DATA SHEET	Page : 14 / 16
		Revision nr : 2.0
	Straight Run Gasoil	Issue date : 24/06/2021
		Supersedes : 30/01/2015


SECTION 16: Other information

Indication of changes:

1	SDS Version (obsolete)	Modified	
1	Substance type	Modified	
3.2	ED	Added	
5.2	Explosion hazard	Modified	
5.2	Hazardous decomposition products in case of fire	Modified	
7.2	Incompatible substances or mixtures	Added	
9.1	Oxidising properties	Modified	
9.2	Information with regard to physical hazard classes	Modified	
9.2	Other safety characteristics	Modified	
11	Adverse health effects caused by endocrine disrupting properties	Modified	
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Modified	
15.1	Installations classées	Added	
15.1	Water hazard class (WGK)	Modified	
15.1	Waterbezwaarlijkheid	Modified	
15.1	Waterbezwaarlijkheid	Modified	
16	Sources of key data used to compile the datasheet	Modified	
16	Other information	Modified	

Abbreviations and acronyms:

	DNEL = Derived No Effect Level
	DMEL = Derived Minimal Effect level
	PNEC = Predicted No Effect Concentration
	OEL-STEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	TWA = time weighted average
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	LL50 = Median lethal level
	EC50 = Median Effective Concentration
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	NOEL = no-observed-effect level
	NOEC = No observed effect concentration
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
	NOAEL = No observed adverse effect level
	EWC = European waste catalogue

 MERCURIA <small>MERCURIA ENERGY TRADING BV</small>	<h1>SAFETY DATA SHEET</h1>	Page : 15 / 16
		Revision nr : 2.0
	<h2>Straight Run Gasoil</h2>	Issue date : 24/06/2021
		Supersedes : 30/01/2015

	NA = Not applicable
	N.O.S. = Not Otherwise Specified
	VOC = Volatile organic compounds
	mg/kg BW = mg/kg bodyweight
	QSAR = Quantitative structure-activity relationship (QSAR)
	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)
	ABM = Algemene beoordelingsmethodiek
	UVCB = Substance of unknown or variable composition, complex reaction products or biological material (UVCB)
	BTT = Breakthrough time (maximum wearing time)
	STOT = Specific Target Organ Toxicity

Sources of key data used to compile the datasheet : ECHA (European Chemicals Agency). LOLI. Supplier info. Concawe: Hazard classification and labelling of petroleum substances in the European Economic Area - 2010.

Training advice : Training staff on good practice. Manipulations are to be done only by qualified and authorised persons.


Other information : Assessment/classification CLP. Article 9. Calculation method. Physicochemical hazard assessment: Information given is based on tests on the mixture itself.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Classification according to Regulation (EC) No. 1272/2008 [CLP]
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS

 MERCURIA MERCURIA ENERGY TRADING BV	SAFETY DATA SHEET	Page : 16 / 16
		Revision nr : 2.0
	Straight Run Gasoil	Issue date : 24/06/2021
		Supersedes : 30/01/2015

information may not be applicable.